



Catalog pdf



Website



Akçaburgaz Mah. 117. Sok. No:19
34522 Esenyurt - İstanbul

Tel.: +90 (212) 886 55 88 (pbx)
Fax: +90 (212) 886 57 14
e-mail: info@kromevye.com.tr
www.kromevye.com.tr

IIC220420

2022 CATALOGUE

www.kromevye.com.tr



kromevye®



With
A circular seal with a blue background. It features the text "Stainless Steel Kitchen Sinks" at the top, "1979 - 2022" at the bottom, and "kromevye" in the center. A red ribbon banner wraps around the bottom of the seal, with the number "43" in large white digits and the word "Years" in smaller white script below it.
Experience



amfori BSCI
Trade with purpose





Institutional

The Executive Management of Kromevye, improving its production technology continuously in the domestic and global market since 1979, believes in the necessity of an effective Quality Management System in order to retain customer satisfaction at the top level today and hereinafter.

Kromevye Quality Management System is applied in conformity with ISO 9001:2015 CE, Quality, BSCI, Ghost, Standard and TSE to the whole Enterprise that takes active role in all production phases and takes advantage of the latest technologies. Kromevye pursues the objective of continuous and sustainable system development through extensive sector experience, complying with the legal obligations and protecting the employee rights.

In this context, our quality goals should be set, pursued and reported. Our resources should serve to our objectives.

Livinox was born as a brand name by Kromevye, for export stainless steel kitchen sinks.

Quality and Innovation




The kitchen has become the centre of modern interiors, the heart of any home, the place where family ties are woven. Kromevye, which can bring your kitchen in line with the latest trends.


When it comes to innovation, material and manufacturing quality, and constant search for new solutions to increase the comfort and functionality of our products, we make no compromises. This is why Kromevye sinks rank among the top modern design solutions, and boast quality that exceeds similar products in many respects.

Material and Finish Options


Stainless Steel Finishes



Composite Colors



Glass Colors



kromevye sinks rank among the most durable sinks in the market since they are manufactured from 18/10 stainless steel up to 1 mm in thickness. The main advantage of thicker steel are greater impact resistance, increased stability of a sink tap and significantly reduced level of water splashing noise. In weight comparison, sinks made of thicker stainless steel are heavier.

Granite composite sinks are composed of granite parts tightly bound with high quality acrylic resin, which helps to acquire excellent mechanical properties and chemical persistence.

Some kromevye finished goods are made of tempered glass, a type of safety glass with significantly increased toughness and thermal resistance.

Kromevye sinks are surface treated to resist the growth of mould, microorganisms and bacteria. All surfaces are easy to clean, as the sinks have no inaccessible spots for bits of food and other grime to accumulate. In addition, Kromevye sinks are environmentally friendly, containing no harmful admixtures that might be released into the environment upon decomposition.



Modern kitchens are becoming an increasingly important part of the living area, where people spend quality time, preparing food and socialising. At the same time, they tend to connect with other rooms so the boundaries between the living area and kitchen have disappeared almost completely.

Large, clean, modern surfaces require sinks that fit perfectly into the cutting-edge kitchen/living environments, while still performing up to the most demanding of gourmet tasks.

Kromevye sinks are designed for these very kitchens, as their outstanding design and functional qualities surpass the existent standards in many ways.



How to install a sink?

Place the sink upside down in the position where it is to be installed, and trace the outline of the sink on the counter top with pencil.



Draw another line 10 mm inside the first line. Cut a hole in the counter top following this second, inner, line. (*If a pattern is included in the package, then use it to cut the hole in the counter top.)

Adhere the sealing tape around the under side of the edge of sink, starting not at a corner, but any other random spot. Ensure that the tape is sealed smoothly at the bottom of the rim between the clip rail and the edge of the perimeter of the sink. In case that the packaging includes a spongy sealing tape, adhere the tape closer to the edge of the sink, being careful not to overhang it.

Place the fixing clips evenly space around the perimeter of the sink, and pull them up to lock into their horizontal position. To place the sink into the work top, push the metallic part of the clips inward.

These fixing clips are designed to be used in counter tops 30-40 mm. If your counter top is thinner, insert wooden wedges between the counter top and the clips so as to secure them. Use a hand screwdriver to screw partially the fixing clips by following the order that the drawing indicates. When all the clips have been relatively secured in place, repeat the procedure by tightening completely each fixing clip.

Installation Profiles



Cleaning and Caring

Cleaning and Caring for Stainless Steel



A clean kitchen is a wonderful kitchen. That's why we've specifically designed our products and systems for easy to maintenance. So you can feel comfortable and confident every time you use your kitchen. Learn the best way to keep your Kromevye products performing well and looking great.

After using the kitchen sink wipe off stains, rinse with water and scrub with dry cloth. Use Kromevye inox wax produced for steel products periodically surface polishing paste. After cleaning the surface with Kromevye inox wax applied to a soft cloth or sponge, rinse it with plenty of water and then dry the surface.

Acids, silver cleaning material, salty solutions and wall paper adhesives usually leave stains within couple of hours of their use. If this type material ever touches the kitchen sink after cleaning them immediately, rinse with plenty of water and dry the surface with cloth.

Do not leave wet metal products made of iron or similar material that can easily get rusted on the kitchen sink for long periods of time. The rusts of those leave stains on the surface of kitchen sink.

DO NOT USE THESE: Cleaning / scrubbing powder, hard cleaning sponges and brushes that scratch the surface of the kitchen sink.

Sometimes scratches may appear on surface during normal use, but they do not lower the quality of kitchen sink. A very thin layer of oxidation appears on the surface of stainless steel which provides protection against corrosion and erosion.



Cleaning and Caring For Granite

Everyday tips

Kromevye Granite Sinks are extremely durable and non-porous making them long-lasting and very hygienic. This also means cleaning them is quite simple too. Using a soapy nylon brush and scrubbing in circular motions will usually do the trick. Just remember to thoroughly wash away any extra soap left behind after cleaning.

Stubborn stains

For stubborn stains on granite, we recommend using any of these products: dishwasher soap, white vinegar (best for limescale) or a mild bleach solution. For rust stains, we recommend using cleaning agents that contain oxalic acid . And always make sure you thoroughly rinse away any cleaning agents once you've finished.

What to avoid

Strong alkalis like ammonia and caustic soda solution
Drain unblocking chemicals that involve filling the sink with water should not be used



Kromevye uses the best quality toughened glass of 8 mm thickness, which gives it a typical glossy appearance and which at the same time withstands temperatures of up to 200 C. The glass tempering process that the sink's drainer goes through, makes it highly impact resistant. Consequently, it will not crack unless it is hit aggressively with a hard and sharp object. Please avoid dropping sharp and/or heavy objects onto the glass surface of the sink and in particular hitting the edges of the glass.



Cleaning and Caring For Glass



The toughened glass is not completely scratch-resistant, so it should not be used for cutting. Any abrasive or sharp utensils or objects should not be dragged along its surface, as this may leave minor marks on the glass surface. Using a stainless steel roll mat in the draining area of the sink might be a good method of preventing potential mishaps.

Although glass as a material is generally very easy to clean, we do recommend that you take proper care of your glass sink, i.e. clean both glass drainer and stainless steel bowls regularly. The glass should be cleaned with liquid soap and non-abrasive cloth. Don't forget to completely rinse off the soap or detergent, if your food gets into direct contact with the glass. The glass surface should be dried regularly to avoid build up of limestone. You should never use aggressive cleaners or abrasive cleaning sponges.

Details That Make The Difference

ACCESSORIES

With suitable accessories, such as strainer bowls, chopping boards, detergent dispenser, trays and covers Kromevye sinks turn practically into complete small kitchens, furnished for the most delicious activities. The majority of sinks have the most important and most interesting accessories included in the basic package, which is clearly marked in this catalogue. The rest of the accessories are available to order.



WASTE KITS AND POP-UP SYSTEM

Most sinks come with suitable waste system traps in order to facilitate the installation process. Certain sinks are supplied with pop-up system, which allows remote operation of the drain stopper. This is very practical for the when we wish to close a waste or empty the water out of a full sink without getting our hands wet.

SEALS

Most of the sinks are fitted with top-quality seals already attached to the undersides of their outer rims. This is permanent fixation that enables faster and easier installation, and prevents water leakage under the sink rim to kitchen worktop and cabinet.



SOUND-DEADENING UNDERCOATING

As a contrast to some competing products, all Kromevye stainless sinks are serially fitted with special sound-deadening undercoating. This undercoating mitigates the noise from water splashing upon hitting the sink surface, and thus successfully increases the comfort of working and living.



UNDERMOUNT SINK FITTINGS

The undermount sinks can be supplied with special fastening accessories, designed to suit installation method as well as type of worktop material.



MOUNTING ACCESSORIES

The type of fastening accessories depends on installation type of sinks and kitchen worktop material. fastening clips enclosed with each sink, suitable for mounting into worktops of 30 to 40 mm thickness. For worktops of non-standard thickness up to 65 mm, specially designed clips can be supplied.



FACTORY-MADE CUT-OUTS

Assembly of additional elements of Kromevye is very simple, as the orifices for kitchen fittings and eventual other equipment (pop-up waste or detergent dispenser) are mostly prepared already in production. Thus, there is no need to bother with the risky business of cutting out the precisely located holes yourself.



History

1979



Kromeveye Company has been established in 1979 to produce stainless steel kitchen sinks located at Istanbul. At the beginning, Kromeveye had 140 sq. m. Area for production.



1986

Kromeveye moves to 1,000 sq.m. area with more workers for more capacity.



1996

The Company moves to 7,000 sqm. with 50,000 stainless steel sinks production capacity per month.



1990

First Exhibition was in Romania and first Export to Romania.



2000

Investments of latest technologic machines from Europe automated equipment. Stage year. Exports increase by 85%



2001

Having had customers needed Kromeveye supplies stainless steel material for domestic and export markets. Meanwhile to address international demand we established three additional factories, Egypt (2001), Ukraine (2005), Morocco (2006)



2004

Production line for double bowl mono block sinks installed.



2007

Kromeveye moves to current address with 21,000 sqm closed area with more than 150 employees. Kromeveye produces 100,000 pieces of stainless steel kitchen sinks per month and exports 90% of the capacity to all over the world.



2008

Livinox was born as a brand name by Kromeveye, for export stainless steel kitchen sinks.



2009

We are very proud of 30 sucessfull years in business life.



2010



2010

We established a factory in Russia to supply for domestic needs.

2011

2011

We established a new production line in new factory area for economic series of Stainless Steel Kitchen sinks.



2022



2022

We are celebrating 43 years of experience

Classic

Page 19/28



Bianca

Page 29/35



Rondo

Page 37/43



Oberon

Page 45/49



Cupid

Page 51/55

Cupid 161 49 x 78 cm



Cupid 162 49 x 78 cm



Cupid 323 49 x 78 cm



Cupid 324 49 x 78 cm



Cupid 172 50 x 77 cm



Cupid 171 50 x 77 cm



Cupid 190 50 x 92 cm



Cupid 191 50 x 92 cm



Triton

Page 57/64

Triton 309 48 x 48 cm



Triton 327 49 x 57 cm



Triton 177 50 x 50 cm



Triton 196 50 x 58 cm



Triton 187 49 x 62 cm



Triton 180 50 x 65 cm



Triton 338 50 x 80 cm



Triton 195 50 x 80 cm



Triton 320 50 x 86 cm



Triton 321 50 x 86 cm



Triton 322 50 x 86 cm



Triton 304 50 x 98 cm



Triton 330 50 x 100 cm



Triton 334 50 x 116 cm



Xtrend

Page 67/69

Xtrend 331 50 x 86 cm



Xtrend 332 50 x 100 cm



Xtrend 333 50 x 116 cm



Colea

Page 71/74

Colea 147 43,5 x 58 cm



Colea 198 43,5 x 78 cm



Colea 199 43,5 x 78 cm



Colea 306 50 x 80 cm



Colea 197 50 x 98 cm



Colea 319 50 x 98 cm



Fuga

Page 75/78

Fuga 326 49 x 78 cm



Fuga 328 49 x 78 cm



Fuga 188 50 x 100 cm



Fuga 316 50 x 116 cm



Fuga 317 50 x 116 cm



Palmira

Page 77/78

Palmira 313 50 x 100 cm



Palmira 311 50 x 116 cm



Lay-on 40's

Page 80

Lay-on 40's 104 40 x 50 cm



Lay-on 50's

Page 80/83

Lay-on 50's 107 50 x 50 cm



Lay-on 50's 117 50 x 60 cm



Lay-on 50's 114 50 x 80 cm



Lay-on 50's 116 50 x 80 cm



Lay-on 50's 126 50 x 100 cm



Lay-on 50's 119 50 x 100 cm



Lay-on 50's 127 50 x 120 cm



Lay-on 60's

Page 84/88

Lay-on 60's 108 60 x 50 cm



Lay-on 60's 109 60 x 60 cm



Lay-on 60's 120 60 x 80 cm



Lay-on 60's 132 60 x 80 cm



Lay-on 60's 121 60 x 100 cm



Lay-on 60's 133 60 x 100 cm



Lay-on 60's 314 60 x 100 cm



Lay-on 60's 134 60 x 120 cm



Lay-on 60's 312 60 x 120 cm



Lay-on 60's 315 60 x 120 cm



Undermount

Page 89/94

Undermount 001
16 x 30 cmUndermount 003
17 x 30 cmUndermount 006
33 x 35 cmUndermount 005
34 x 40 cmUndermount 008
34 x 40 cmUndermount 103
Ø 38 cmUndermount 101
35 x 40 cmUndermount 007
40 x 40 cmUndermount 102
40 x 45 cm

Flush-Mount

Page 95/96



Glame

Page 97/104




Pearl

Page 105/108



Kitchen Taps

Page 109



Siphons

Page 112



Classic

Classic Series

Classic 105



40x50 cm

Dimensions

Inset



Satin Linen



Code	N105	EC105
Bowl Size	400 x 330	400 x 330
Sinks Depth	150	165
Thickness	0.50	0.60
Surface	Satin	Linen



Classic 179



41x44 cm

Dimensions

Inset



Satin Linen



Code	N179	EC179
Bowl Size	300 x 330	300 x 330
Sinks Depth	150	160
Thickness	0.50	0.60
Surface	Satin	Linen



Classic

kromevyle®

Classic 144

48x48 cm



Dimensions



Inset



Satin Linen Polished



Code	N144	EC144	EX144
Bowl Size	404 x 354	404 x 354	404 x 354
Sinks Depth	155	165	170
Thickness	0.50	0.60	0.80
Surface	Satin	Satin	Polished





Classic 140

43.5x76 cm

Dimensions

Inset



Code	N140	EC140
Bowl Size	377 x 342	377 x 342
Sinks Depth	155	170
Thickness	0.50	0.60
Surface	Satin	Satin



Classic 141



43.5x76 cm



Dimensions



Inset



Satin Linen



Code	N141	EC141
Bowl Size	377 x 342	377 x 342
Sinks Depth	150	170
Thickness	0.50	0.60
Surface	Satin	Satin Linen

43.5x78 cm

Dimensions





Inset



Satin Linen

Classic 301



Code	N301	EC301
Bowl Size	377 x 342	377 x 342
Sinks Depth	150	170
Thickness	0.50	0.60
Surface	Satin	Satin Linen



Classic

kromeyse®

Classic 302

43.5x78 cm



Dimensions



Inset



Satin Linen





Code	N302	EC302
Bowl Size	377 x 342	377 x 342
Sinks Depth	150	170
Thickness	0.50	0.60
Surface	Satin	Linen



Classic 189

43.5x78 cm

Dimensions



Code	N189	EC189
Bowl Size	335 x 365	335 x 365
Sinks Depth	140	155
Thickness	0.50	0.60
Surface	Satin	Linen



Classic

kromeyle®

Classic 142



43.5x86 cm



Dimensions



Inset



Satin Linen



Code	N142	EC142
Bowl Size	377 x 342	377 x 342
Sinks Depth	150	170
Thickness	0.50	0.60
Surface	Satin	Satin Linen





Classic 143

43.5x86 cm

Dimensions



Satin Linen



Code	N143	EC143
Bowl Size	377 x 342	377 x 342
Sinks Depth	150	170
Thickness	0.50	0.60
Surface	Satin	Satin Linen



Classic

kromeyse®

Classic 175

43.5x86 cm



Dimensions



Inset



Satin Linen



Code	N175	EC175
Bowl Size	377 x 342	377 x 342
Sinks Depth	155	170
Thickness	0.50	0.60
Surface	Satin	Linen



Classic 346

43.5x86 cm



Dimensions



Inset



Satin Linen



Code	N346	EC346
Bowl Size	342 x 377	342 x 377
Sinks Depth	155	170
Thickness	0.50	0.60
Surface	Satin	Linen



Classic 113

45x80 cm



Dimensions



Inset



Satin Linen



Code	N113	EC113	EX113
Bowl Size	345 x 377	345 x 377	345 x 377
Sinks Depth	140	150	160
Thickness	0.50	0.60	0.80
Surface	Satin	Satin Linen	Polished Linen





Classic 173

50x79 cm

Dimensions



Inset



Code	N173	EC173
Bowl Size	350 x 400	350 x 400
Sinks Depth	150	165
Thickness	0.50	0.60
Surface	Satin	Satin



Classic

kromevyle®

Classic 178



50x86 cm



Dimensions



Inset



Satin



Code	N178	EC178
Bowl Size	350 x 400	350 x 400
Sinks Depth	150	170
Thickness	0.50	0.60
Surface	Satin	Satin Linen

50x100 cm



Dimensions



Inset



Classic 336



Code	EC336	EX336
Bowl Size	350 x 400	350 x 400
	160 x 300	160 x 300
Sinks Depth	170 / 130	175 / 130
Thickness	0.60	0.80
Surface	Satin	Polished Linen



Classic 138

50x116 cm

Dimensions




Inset



Satin

Linen



Code	N138	EC138	EX138
Bowl Size	350 x 400	350 x 400	350 x 400
Sinks Depth	130	150	165
Thickness	0.50	0.60	0.70
Surface	Satin	Satin Linen	Satin



Bianca

Bianca
Series



Bianca 149



46x48 cm

Dimensions

Inset



Satin Linen Polished



Code	EC149	EX149
Bowl Size	360 x 390	360 x 390
Sinks Depth	165	180
Thickness	0.60	0.80
Surface	Satin	Polished
	Linen	Linen





Bianca 305

48x62 cm

Dimensions

Inset

Flushmount



Code	EC305	EX305
Bowl Size	360 x 390	360 x 390
Sinks Depth	170	180
Thickness	0.60	0.80
Surface	Satin	Polished
	Linen	Linen





Bianca 154



48x62 cm

Dimensions

Inset



Code	EC154	EX154
Bowl Size	360 x 390	360 x 390
Sinks Depth	170	180
Thickness	0.60	0.80
Surface	Satin Linen	Polished Linen



Bianca 155





48x62 cm

Dimensions

Inset

Flushmount



Code	EX155
Bowl Size	360 x 390
	160 x 300
Sinks Depth	180 / 130
Thickness	0.80
Surface	Polished Linen



Bianca 150





48x73 cm

Dimensions

Inset

Flushmount



Code	EC150	EX150
Bowl Size	360 x 390	360 x 390
Sinks Depth	170	180
Thickness	0.60	0.80
Surface	Satin	Polished
	Linen	Linen



Bianca 151





48x73 cm

Dimensions

Inset

Flushmount



Code	EC151	EX151
Bowl Size	360 x 390	360 x 390
Sinks Depth	170	180
Thickness	0.60	0.80
Surface	Satin	Polished
	Linen	Linen



Bianca 152



48x83 cm

Dimensions





Inset



Flushmount



Satin Linen



Code	EC152	EX152
Bowl Size	360 x 390	360 x 390
Sinks Depth	170	180
Thickness	0.60	0.80
Surface	Satin	Polished
	Linen	Linen



Bianca 153



48x83 cm



Dimensions



Inset



Satin Linen Polished



Code	EC153	EX153
Bowl Size	360 x 390	360 x 390
Sinks Depth	170	180
Thickness	0.60	0.80
Surface	Satin	Polished
	Linen	Linen



Bianca 193





48x83 cm

Dimensions

Inset



Code	EX193
Bowl Size	360 x 410
Sinks Depth	165
Thickness	0.80
Surface	Polished Linen



Bianca 156



48x100 cm



Dimensions

Inset

Flushmount



Code	EX156
Bowl Size	360 x 390
Sinks Depth	160 x 300
Thickness	180 / 130
Surface	0.80 Polished Linen




Bianca 329

50x116 cm

Dimensions



Linen Polished




Code	EX329-K
Bowl Size	340 x 400
	330 x 350
Sinks Depth	200
Thickness	0.80
Surface	Polished
	Linen



Bianca 335


50x120 cm

Dimensions



Code	EX335
Bowl Size	350 x 400
	350 x 400
Sinks Depth	165
Thickness	0.70
Surface	Satin







Rondo

Rondo

Rondo
Series

Rondo 192





ø 43.5 cm

Dimensions

Inset



Satin Linen Polished



Code	EC192	EX192
Bowl Size	ø380	ø380
Sinks Depth	175	185
Thickness	0.60	0.80
Surface	Satin	Polished
Linen		



Rondo 310





ø 43.5 cm

Dimensions


Inset



Satin



Code	EC310
Bowl Size	ø380
Sinks Depth	40
Thickness	0.60
Surface	Satin



Rondo

kromevyle

Rondo 145





ø48 cm

Dimensions

Inset

Flushmount



Code	EC145	EX145
Bowl Size	ø370	ø370
Sinks Depth	170	185
Thickness	0.60	0.80
Surface	Satin	Polished
	Linen	Linen





Rondo 146



ø 51 cm

Dimensions

Inset



Code	EC146	EX146
Bowl Size	ø390	ø390
Sinks Depth	170	185
Thickness	0.60	0.80
Surface	Satin	Polished
	Linen	Linen



Rondo 157





45x57 cm

Dimensions

Inset



Satin Linen Polished



Code	EC157	EX157
Bowl Size	ø360	ø360
Sinks Depth	160	180
Thickness	0.60	0.80
Surface	Satin Linen	Polished Linen



Rondo 165





44x74 cm

Dimensions

Inset



Satin Linen Polished



Code	EC165	EX165
Bowl Size	ø360	ø360
Sinks Depth	160	180
Thickness	0.60	0.80
Surface	Satin Linen	Polished Linen





Rondo 166

44x74 cm

Dimensions



Satin Linen Polished



Code	EC166	EX166
Bowl Size	ø360	ø360
Sinks Depth	160	180
Thickness	0.60	0.80
Surface	Satin	Polished
	Linen	Linen





Rondo 159

48x77 cm

Dimensions



Satin Linen Polished



Code	EC159	EX159
Bowl Size	ø390	ø390
Sinks Depth	170	180
Thickness	0.60	0.80
Surface	Satin	Polished
	Linen	Linen



Rondo 160

48x77 cm

Dimensions



Inset





Flushmount



Satin

Linen

Polished



Code	EC160	EX160
Bowl Size	ø390	ø390
Sinks Depth	170	180
Thickness	0.60	0.80
Surface	Satin	Polished
	Linen	Linen





Rondo 325

43.5x83 cm

Dimensions



Inset



Code	EC325	EX325
Bowl Size	ø360	ø360
Sinks Depth	160	175
Thickness	0.60	0.80
Surface	Satin	Polished
	Linen	Linen



Rondo 186





43.5x78 cm

Dimensions

Inset



Satin Linen



Code	EC186
Bowl Size	ø355
Sinks Depth	150
Thickness	0.60
Surface	Satin Linen



S730K



S801





S809

Rondo 139

43.5x83 cm

Dimensions

Inset



Code	EC139	EX139
Bowl Size	ø355	ø355
Sinks Depth	150	165
Thickness	0.60	0.80
Surface	Satin Linen	Polished Linen



S730K S704K-D



S801



S809



Oberon

Oberon
Series

Oberon

Oberon 176

50x50 cm



Dimensions



Inset



Linen Polished



Code	EC176	EX176
Bowl Size	410 x 340	410 x 340
Sinks Depth	170	185
Thickness	0.60	0.80
Surface	Satin Linen	Polished Linen



49x78 cm

Dimensions



Satin Linen Polished

Oberon 163



Code	EC163	EX163
Bowl Size	350 x 400	350 x 400
Sinks Depth	170	175
Thickness	0.60	0.80
Surface	Satin Linen	Polished Linen



Oberon 164





49x78 cm

Dimensions

Inset



Satin Linen Polished



Code	EC164	EX164
Bowl Size	350 x 400	350 x 400
Sinks Depth	170	175
Thickness	0.60	0.80
Surface	Satin Linen	Polished Linen



Oberon 174





49x78 cm

Dimensions

Inset



Satin Linen



Code	EC174
Bowl Size	350 x 400
	160 x 300
Sinks Depth	170 / 130
Thickness	0.60
Surface	Satin Linen



Oberon 318

49x96 cm



Dimensions



Inset



Satin Linen



Code	EC318
Bowl Size	350 x 400
	160 x 300
Sinks Depth	170 / 130
Thickness	0.60
Surface	Satin Linen



S730K



S803



S804



S809



S805



S906

Oberon 167

50x86 cm



Dimensions



Inset



Satin Linen



Code	EC167
Bowl Size	350 x 400
	160 x 300
Sinks Depth	160 / 90
Thickness	0.60
Surface	Satin Linen



S730K



S803



S804



S809



S805



S906

Oberon 168

50x100 cm



Dimensions



Inset



Satin Linen



Code	EC168
Bowl Size	350 x 400 160 x 300
Sinks Depth	160 / 90
Thickness	0.60
Surface	Satin Linen



S730K



S803



S804



S809



S805



S906



Cupid

Cupid
Series

Cupid

Cupid

kromeyle®

Cupid 161



49x78 cm



Dimensions



Inset



Satin Linen Polished



Code	EC161	EX161
Bowl Size	350 x 400	350 x 400
Sinks Depth	170	180
Thickness	0.60	0.80
Surface	Satin Linen	Polished Linen



Cupid 162



49x78 cm



Dimensions



Inset



Satin Linen Polished



Code	EC162	EX162
Bowl Size	350 x 400	350 x 400
Sinks Depth	170	180
Thickness	0.60	0.80
Surface	Satin Linen	Polished Linen



Cupid

kromeyle®

Cupid 323





49x78 cm

Dimensions

Inset



Satin Linen Polished



Code	EC323	EX323
Bowl Size	350 x 400	350 x 400
Sinks Depth	170	180
Thickness	0.60	0.80
Surface	Satin Linen	Polished



Cupid 324





49x78 cm

Dimensions

Inset



Satin Linen Polished



Code	EC324	EX324
Bowl Size	350 x 400	350 x 400
Sinks Depth	170	180
Thickness	0.60	0.80
Surface	Satin Linen	Polished



Cupid

kromevyle®

Cupid 172





50x77 cm

Dimensions

Inset



Linen Polished



Code	EX172
Bowl Size	350 x 400
Sinks Depth	185
Thickness	0.80
Surface	Polished Linen



Cupid 171





50x77 cm

Dimensions

Inset



Linen Polished



Code	EX171
Bowl Size	350 x 400
	160 x 300
Sinks Depth	185 / 130
Thickness	0.80
Surface	Polished Linen



Cupid

Cupid 190

kromeyle®

50x92 cm



Dimensions



Inset



Linen Polished



Code	EX190-K
Bowl Size	340 x 400
Sinks Depth	195
Thickness	0.80
Surface	Polished Linen



Cupid 191

50x92 cm



Dimensions



Inset



Linen Polished



*Welded Bowls

Code	EX191-K
Bowl Size	340 x 400
	220 x 270
Sinks Depth	195 / 130
Thickness	0.80
Surface	Polished Linen





A close-up, low-angle shot of a dark, polished stainless steel kitchen sink. The sink has a single circular drain hole in the center. On the left side, there is a small, rectangular embossed logo consisting of three horizontal bars with a central circle. The lighting is dramatic, highlighting the metallic texture and depth of the sink's design.

Triton

Triton
Series

Triton 309





48x48 cm

Dimensions

Inset



Satin Linen Polished



Code	N309	EC309	EX309
Bowl Size	404 x 354	404 x 354	404 x 354
Sinks Depth	155	165	170
Thickness	0.50	0.60	0.80
Surface	Satin	Satin	Polished
	Linen	Linen	Linen




Triton 327



49x57 cm

Dimensions

Inset



Code	EX327
Bowl Size	340 x 480
Sinks Depth	185
Thickness	0.80
Surface	Polished
	Linen



Triton 177





50x50 cm

Dimensions

Inset



Polished



Code	EX177
Bowl Size	400 x 400
Sinks Depth	185
Thickness	0.80
Surface	Polished



Triton 196



50x58 cm

Dimensions

Inset





Satin



Linen



Polished



Code	EC196	EX196
Bowl Size	340 x 400	340 x 400
Sinks Depth	170	185
Thickness	0.60	0.80
Surface	Satin	Polished
	Linen	Linen



Triton 187





49x62 cm

Dimensions

Inset



Linen Polished



Code	EX187
Bowl Size	340 x 410
Sinks Depth	170 x 300
Thickness	180 / 130
Surface	0.80 Polished Linen



Triton 180





50x65 cm

Dimensions

Inset



Linen Polished



Code	EX180
Bowl Size	400 x 400
Sinks Depth	190
Thickness	0.80
Surface	Polished Linen



Triton 338





50x80 cm

Dimensions



Satin Linen Polished



*Welded Bowls

Triton

Code	EC338	EX338	EX338-K
Bowl Size	340 x 410	340 x 410	340 x 400
Sinks Depth	170	185	200
Thickness	0.60	0.80	0.80
Surface	Satin	Polished	Polished
	Linen	Linen	Linen



Triton 195





50x80 cm

Dimensions



Satin Linen Polished



Code	EC195	EX195	EX195-K
Bowl Size	340 x 410	340 x 410	340 x 400
Sinks Depth	340 x 410	340 x 410	340 x 400
Thickness	150 / 150	165 / 165	200 / 200
Surface	0.60	0.80	0.80
	Satin	Polished	Polished
	Linen	Linen	Linen



Triton 320





50x86 cm

Dimensions

Inset



Satin Linen Polished



Code	EC320	EX320
Bowl Size	340 x 410	340 x 410
Sinks Depth	170	185
Thickness	0.60	0.80
Surface	Satin	Polished
	Linen	Linen



Triton 321





50x86 cm

Dimensions

Inset



Linen Polished



Code	EX321
Bowl Size	340 x 410
Sinks Depth	185
Thickness	0.80
Surface	Polished
	Linen



Triton 322





50x86 cm

Dimensions

Inset



Satin Polished



Code	EC322	EX322
Bowl Size	340 x 410	340 x 410
Sinks Depth	150	160
Thickness	0.60	0.80
Surface	Satin	Polished



Triton 304





50x98 cm

Dimensions

Inset



Linen Polished



Code	EX304
Bowl Size	340 x 410
	170 x 300
Sinks Depth	190 / 130
Thickness	0.80
Surface	Polished
	Linen



Triton 330





50x100 cm

Dimensions

Inset



Satin Linen



Code	EC330
Bowl Size	450 x 400
Sinks Depth	175
Thickness	0.60
Surface	Satin
	Linen

50x116 cm

Dimensions

Inset



Satin

Triton 334




50x116 cm

Inset



Code	EC334	EX334
Bowl Size	350 x 400	350 x 400
	350 x 400	350 x 400
Sinks Depth	165	165
Thickness	0.60	0.70
Surface	Satin	Satin





Xtrend
Series

Xtrend

Xtrend

Xtrend 331





50x86 cm

Dimensions

Inset



Linen Polished



*Welded Bowls

Code	EX331-K
Bowl Size	400 x 400
Sinks Depth	200
Thickness	0.80
Surface	Polished Linen



Xtrend 332





50x100 cm

Dimensions

Inset



Linen Polished



*Welded Bowls

Code	EX332-K
Bowl Size	400 x 400
Sinks Depth	170 x 300
Thickness	200 / 130
Surface	0.80 Polished Linen



Xtrend 333

50x116 cm



Dimensions



Inset



Polished




*Welded Bowls

Code	EX333-K
Bowl Size	340 x 400
	340 x 400
Sinks Depth	200
Thickness	0.80
Surface	Polished





A close-up photograph of a modern kitchen sink. The sink is a dark, polished metal with a distinctive design featuring a central rectangular basin flanked by two rounded, recessed side basins. Two circular drain holes are visible in the center of each basin. The lighting highlights the metallic texture and the deep shadows between the basins.

Colea

Colea
Series

Colea

Colea 147



43.5x58 cm

Dimensions

Inset



Satin Linen



Code	EC147
Bowl Size	390 x 360
Sinks Depth	165
Thickness	0.60
Surface	Satin Linen



Colea 198



43.5x78 cm

Dimensions

Inset



Satin Linen



Code	EC198
Bowl Size	390 x 360
Sinks Depth	175
Thickness	0.60
Surface	Satin Linen



Colea 199





43.5x78 cm

Dimensions

Inset



Satin Linen



Code	EC199
Bowl Size	390 x 360
Sinks Depth	175
Thickness	0.60
Surface	Satin Linen



Colea 306





50x80 cm

Dimensions

Inset



Linen Polished



Code	EX306
Bowl Size	340 x 410
	170 x 300
Sinks Depth	185 / 130
Thickness	0.80
Surface	Polished Linen



Colea 197





50x98 cm

Dimensions

Inset



Linen Polished



Code	EX197
Bowl Size	340 x 410
Sinks Depth	170 x 300
Thickness	190 / 130
Surface	0.80 Polished Linen



Colea 319





50x98 cm

Dimensions

Inset



Polished



*Welded Bowls

Code	EX319-K
Bowl Size	340 x 400
Sinks Depth	170 x 300
Thickness	200 / 130
Surface	0.80 Polished





Fuga

Fuga
Series

Fuga

Fuga

kromeyu®

Fuga 326





49x78 cm

Dimensions

Inset



Satin Linen



Code	EC326
Bowl Size	350 x 400
Sinks Depth	170
Thickness	0.60
Surface	Satin Linen



Fuga 328





49x78 cm

Dimensions

Inset



Satin Linen



Code	EC328
Bowl Size	350 x 400
	160 x 300
Sinks Depth	165 / 130
Thickness	0.60
Surface	Satin Linen



Fuga

kromeyuva®

Fuga 188





50x100 cm

Dimensions

Inset



Satin Linen



Code	EC188
Bowl Size	350 x 400
Sinks Depth	160 x 300
Thickness	165 / 130
Surface	0.60 Satin Linen



S730K



S803



S804



S805



Linen Polished



Fuga 316



50x116 cm

Dimensions

Inset



*Welded Bowls

Code	EX316-K
Bowl Size	350 x 400
Sinks Depth	200
Thickness	0.80
Surface	Polished Linen



S730K



S704K-D



S803



S804



S809



S906

Fuga

kromeyu®

Fuga 317

50x116 cm

Dimensions





Inset



Linen



Polished



*Welded Bowls

Code
Bowl Size
Sinks Depth
Thickness
Surface

EX317-K
350 x 400
200
0.80
Polished
Linen



S730D



S704K-D



S803



S804



S809



S906

Palmira

Palmira
Series

Palmira

Palmira 313





50x100 cm

Dimensions

Inset



Linen Polished



*Welded Bowls

Code	EX313-K
Bowl Size	340 x 400
	170 x 300
Sinks Depth	200 / 130
Thickness	0.80
Surface	Polished
	Linen



S730D S704K-D



S803 S804



S809 S811 S904

Palmira 311



50x116 cm

Dimensions

Inset



*Welded Bowls



*Welded Bowls

Code	EX311-K
Bowl Size	340 x 400
	330 x 350
Sinks Depth	200
Thickness	0.80
Surface	Polished
	Linen




S730D S704K-D



S803 S804



S809 S904



Lay-on

Lay-on
Series

Lay-on 40-50s

kromeyse®

40'series 104

40x50 cm



Dimensions



Lay-on



Satin



Code	N104	EC104
Bowl Size	400 x 330	400 x 330
Sinks Depth	150	165
Thickness	0.50	0.60
Surface	Satin	Satin





50'series 107

50x50 cm

Dimensions



Lay-on



Code	N107	EC107
Bowl Size	404 x 354	404 x 354
Sinks Depth	150	165
Thickness	0.50	0.60
Surface	Satin	Linen



Lay-on 50s

kromeyse®

50'series ll7



50x60 cm



Dimensions



Lay-on



Satin



Code	N117	EC117
Bowl Size	354 x 404	354 x 404
Sinks Depth	150	165
Thickness	0.50	0.60
Surface	Satin	Satin Linen



50'series ll4





50x80 cm

Dimensions



Code	N114	EC114
Bowl Size	342 x 377	342 x 377
Sinks Depth	130	140
Thickness	0.50	0.60
Surface	Satin	Satin Linen



Lay-on

Lay-on 50s

kromeyse®

50'series 116





50x80 cm

Dimensions

Lay-on



Satin Linen



Code	N116	EC116
Bowl Size	404 x 354	404 x 354
Sinks Depth	150	165
Thickness	0.50	0.60
Surface	Satin	Satin Linen



50'series 126





50x100 cm

Dimensions

Lay-on



Satin



Code	N126
Bowl Size	400x 350
Sinks Depth	130
Thickness	0.50
Surface	Satin



Lay-on 50s

kromeyu®

50'series 119





50x100 cm

Dimensions

Lay-on



Satin



Code	N119	EC119
Bowl Size	404 x 354	404 x 354
Sinks Depth	150	165
Thickness	0.50	0.60
Surface	Satin	Linen

50x120 cm



Dimensions

Lay-on



Satin

50'series 127



Code	N127	EC127
Bowl Size	350 x 400	350 x 400
Sinks Depth	130	150
Thickness	0.50	0.60
Surface	Satin	Linen



Lay-on

Lay-on 60s

kromeyu®

60'series 108



60x50 cm



Dimensions



Lay-on



Satin



Code	N108	EC108
Bowl Size	354 x 404	354 x 404
Sinks Depth	150	165
Thickness	0.50	0.60
Surface	Satin	Linen

60x60 cm



Dimensions



Lay-on



60'series 109



Code	N109	EC109
Bowl Size	354 x 404	354 x 404
Sinks Depth	150	165
Thickness	0.50	0.60
Surface	Satin	Linen



Lay-on 60s

kromekrome®

60'series 120





60x80 cm

Dimensions

Lay-on



Satin Linen



*Welded Bowls

Code	N120	EC120
Bowl Size	360 x 390	360 x 390
Sinks Depth	150	165
Thickness	0.50	0.60
Surface	Satin	Satin Linen



60'series 132





60x80 cm

Dimensions

Lay-on



Satin Linen



*Welded Bowls

Code	N132	EC132
Bowl Size	345 x 377	345 x 377
Sinks Depth	130	150
Thickness	0.50	0.60
Surface	Satin	Satin Linen



Lay-on 60s

60'series 121

kromeyse®





60x100 cm

Dimensions

Lay-on



Satin



Code	N121	EC121
Bowl Size	404 x 354	404 x 354
Sinks Depth	150	165
Thickness	0.50	0.60
Surface	Satin	Satin



60'series 133





60x100 cm

Dimensions

Lay-on



Satin



Code	N133	EC133
Bowl Size	350 x 400	350 x 400
Sinks Depth	130	150
Thickness	0.50	0.60
Surface	Satin	Satin



Lay-on 60s

60'series 314

kromevyle®





60x100 cm

Dimensions

Lay-on



Linen Polished



*Welded Bowls

Code	EX314-K
Bowl Size	340 x 400
	170 x 300
Sinks Depth	200 / 130
Thickness	0.80
Surface	Polished
	Linen





60'series 134

60x120 cm

Dimensions

Lay-on



Code	N134	EC134
Bowl Size	350 x 400	350 x 400
Sinks Depth	130	150
Thickness	0.50	0.60
Surface	Satin	Satin



Lay-on

Lay-on 60s

60'series 312


kromeyse®





60x120 cm

Dimensions

Lay-on



Linen Polished



*Welded Bowls

Code	EX312-K
Bowl Size	340 x 400
	330 x 350
Sinks Depth	200
Thickness	0.80
Surface	Polished
	Linen



60'series 315



60x120 cm

Dimensions

Lay-on



Linen Polished



Code	EX315-K
Bowl Size	350 x 400
	350 x 400
Sinks Depth	200
Thickness	0.80
Surface	Polished
	Linen



Undermount

Undermount
Series



Undermount

Undermount

kromeyye®

Undermount 001

16x30 cm

Dimensions





Undermount



Linen



Polished



Code

Bowl Size
Sinks Depth
Thickness
Surface

EX001

160 x 300
120
0.80
Polished
Linen



S701K



S805

Undermount 003

17x30 cm

Dimensions





Undermount



Linen



Polished



Code

Bowl Size
Sinks Depth
Thickness
Surface

EX003

170 x 300
120
0.80
Polished
Linen



S701K



S811

Undermount

kromeyse®

Undermount 006

33x35 cm

Dimensions





Undermount



Linen



Polished



Code	EX006
Bowl Size	330 x 350
Sinks Depth	180
Thickness	0.80
Surface	Polished Linen



Undermount 005

34x40 cm

Dimensions





Undermount



Linen



Polished



Code	EX005
Bowl Size	340 x 400
Sinks Depth	180
Thickness	0.80
Surface	Polished Linen



Undermount

kromeyse®

Undermount 008





34x40 cm

Dimensions

Undermount



Linen Polished



Code	EX008
Bowl Size	340 x 400
Sinks Depth	180
Thickness	0.80
Surface	Polished
	Linen





Undermount 103



ø38 cm

Dimensions

Undermount



Code	N103
Bowl Size	ø380
Sinks Depth	165
Thickness	0.50
Surface	Satin

Code	EC103
Bowl Size	ø380
Sinks Depth	170
Thickness	0.60
Surface	Satin

Code	EX103
Bowl Size	ø380
Sinks Depth	180
Thickness	0.80
Surface	Polished



Undermount

kromevyle®

Undermount 101

35x40 cm



Dimensions



Undermount



Satin



Code

Bowl Size
Sinks Depth
Thickness
Surface

N101

350 x 400
165
0.50
Satin

EC101

350 x 400
175
0.60
Satin



S705



S700K



S701K



S803



S804



Undermount 007

40x40 cm

Dimensions



Undermount



Code

Bowl Size
Sinks Depth
Thickness
Surface

EC007

400x400
175
0.60
Satin

EX007

400x400
190
0.80
Polished

Linen

S701K



S803

S804



S804

Undermount

kromeyu®

Undermount 102

40x45 cm

Dimensions



Flushmount



Undermount





Satin



Linen



Polished



Code
Bowl Size
Sinks Depth
Thickness
Surface

N102
400 x 450
165
0.50
Satin


EC102
400 x 450
165
0.60
Satin

EX102
400 x 450
180
0.80
Polished



Flush-Mount

Flush-Mount
Series



Flush-Mount

kromeyse®

Flush-Mount 343

46x60.5 cm



Dimensions



Flush-Mount



Linen Polished



Code	EX343-K
Bowl Size	340 x 400
	170 x 300
Sinks Depth	185 / 130
Thickness	1 mm
Surface	Polished
	Linen





Flush-Mount 344

46x78 cm

Dimensions



Flush-Mount



Code	EX344-K
Bowl Size	340 x 400
	340 x 400
Sinks Depth	185
Thickness	1 mm
Surface	Polished
	Linen



Glame

Glame
Series



Glame UC-4345

43x45 cm

Dimensions



Inset



White | UW-4345

Black | UB-4345

Cream | UC-4345

Gray | UG-4345

Anthracite | UA-4345

Code
Bowl Size

UC-4345
390x365x200



Glame UB-K51

ø51 cm

Dimensions



Inset



White | UW-51

Black | UB-51

Cream | UC-51

Gray | UG-51

Anthracite | UA-51

Code
Bowl Size

UB-K51
ø370x200




Glame UW-5050

50x50 cm

Dimensions



Inset



White | UW-5050

Black | UB-5050

Cream | UC-5050

Gray | UG-5050

Anthracite | UA-5050

Code UW-5050
Bowl Size 440x390x210




Glame UW-5060

50x60 cm

Dimensions



Inset



White | UW-5060

Black | UB-5060

Cream | UC-5060

Gray | UG-5060

Anthracite | UA-5060

Code UW-5060
Bowl Size 540x390x210




Glame UB-5061

50x61 cm

Dimensions



Inset



White | UW-5061

Black | UB-5061

Cream | UC-5061

Gray | UG-5061

Anthracite | UA-5061

Code UB-5061
Bowl Size 340x420x200



Glame UW-4375

43x75 cm

Dimensions



Inset



White | UW-4375

Black | UB-4375

Cream | UC-4375

Gray | UG-4375

Anthracite | UA-4375

Code UW 4375
Bowl Size 330x350x180

Glame UW-4377





43x77 cm

Dimensions



Inset



White | UW-4377

Black | UB-4377

Cream | UC-4377

Gray | UG-4377

Anthracite | UA-4377

Code
Bowl Size

UW-4377

300x350x160

300x350x160

Glame UB-4575





45x75 cm

Dimensions



Inset



White | UW-4575

Black | UB-4575

Cream | UC-4575

Gray | UG-4575

Anthracite | UA-4575

Code
Bowl Size

UB-4575

690x400x210



Glame UC-5078

50x78 cm

Dimensions



Inset



White | UW-5078

Black | UB-5078

Cream | UC-5078

Gray | UG-5078

Anthracite | UA-5078

Code

Bowl Size

UC-5078

340x400x200

340x400x200



Glame UB-5085

50x85 cm

Dimensions



Inset



White | UW-5085

Black | UB-5085

Cream | UC-5085

Gray | UG-5085

Anthracite | UA-5085

Code

Bowl Size

UB-5085

450x420x200

300x360x200



Glame UG-5085

50x85 cm

Dimensions



Inset



White | UW-5085

Black | UB-5085


Cream | UC-5085

Gray | UG-5085

Anthracite | UA-5085

Code
Bowl Size

UG 5085
430x430x210





Glame UW-5099

50x99 cm

Dimensions



Inset



White | UW-5099

Black | UB-5099

Cream | UC-5099

Gray | UG-5099

Anthracite | UA-5099

Code
Bowl Size

UW-5099
170x280x160
360x420x210




Glame UB-4914

49x140 cm

Dimensions



Inset



White | UW-4914

Black | UB-4914

Cream | UC-4914

Gray | UG-4914

Anthracite | UA-4914

Code

UB 4914

Bowl Size

330x330x200

330x330x200




S742K

S803

S804

S809



Pearl

Pearl
Series

Pearl

Pearl TG 5086B





50x86 cm

Dimensions



Inset





Code	TG5086B
Bowl Size	340x400
Sinks Depth	200
Thickness	0.80
Surface	Polished Bowls Extraclear Tempered Glass

50x86 cm

Dimensions



Inset



Pearl TG 5086S



Code	TG5086S
Bowl Size	340x400
Sinks Depth	200
Thickness	0.80
Surface	Polished Bowls Extraclear Tempered Glass

50x86 cm

Dimensions



Inset




Pearl TG 50100B



50x100 cm

Dimensions

Inset



Code	TG50100B
Bowl Size	340x400 170x300
Sinks Depth	200 / 130
Thickness	0.80
Surface	Polished Bowls Extraclear Tempered Glass




Pearl TG 50100S



50x100 cm

Dimensions

Inset



Code	TG50100S
Bowl Size	340x400 170x300
Sinks Depth	200 / 130
Thickness	0.80
Surface	Polished Bowls Extraclear Tempered Glass



Pearl TG 5016B




50x116 cm

Dimensions



Inset



Code	TG5016B
Bowl Size	340x400
	340x400
Sinks Depth	200 / 200
Thickness	0.80
Surface	Polished Bowls Extraclear Tempered Glass

50x116 cm

Dimensions



Inset



Pearl TG 5016S




50x116 cm

Dimensions



Inset



Code	TG5016S
Bowl Size	340x400
	340x400
Sinks Depth	200 / 200
Thickness	0.80
Surface	Polished Bowls Extraclear Tempered Glass



Kitchen Taps Siphons


Kitchen Taps
Siphons
Series

Kitchen Taps

kromeyu®

Premium line

S600



Special water saving perlator (Bubble flow, with Lime breaker, Flow rate: 8 l/min), Special cartridge with heat and flow rate adjustment- With swivel spout , Length of outlet 190 mm, Height of outlet 295 mm, Measurements of Hot & Cold water flex hose connection are M10x1- 3/8"40 cm, Ideal operation pressure is 3 - 4 Bar

S607




Special perlator with water saving (Bubble flow, with Lime breaker, Flow rate: 8 l/min), Special cartridge with heat and flow rate adjustment, With swivel spout, Length of outlet is 195 mm, Height of outlet 275 mm, Measurements of Hot & Cold water flex hose connection are M10x1- 3/8"40 cm, Ideal working pressure is 3-4 bar

S614



Special water saving perlator (Bubble flow, with Lime breaker, Flow rate: 8 l/min), Special cartridge with flow rate adjustment - With swivel spout, Length of outlet is 190 mm - Height of outlet is 255 mm , Measurements of Hot & Cold water flex hose connection are M10x1- 3/8"40 cm, Ideal operation pressure is 3 - 4 Bar

S615



Special water saving perlator (Bubble flow, with Lime breaker, Flow rate: 8 l/min), Special cartridge with heat and flow rate adjustment- With swivel spout , Length of outlet 190 mm, Height of outlet 295 mm, Measurements of Hot & Cold water flex hose connection are M10x1- 3/8"40 cm, Ideal operation pressure is 3 - 4 Bar

S616



Special water saving perlator (Bubble flow, with Lime breaker, Flow rate: 8 l/min), Special cartridge with heat and flow rate adjustment- With swivel spout , Length of outlet 190 mm, Height of outlet 295 mm, Measurements of Hot & Cold water flex hose connection are M10x1- 3/8"40 cm, Ideal operation pressure is 3 - 4 Bar

Classic line

S601



Special perlator with water saving (Bubble flow, with Lime breaker, Flow rate: 8 l/min), Special cartridge with heat and flow rate adjustment - With swivel spout, Length of outlet is 200 mm, Height of outlet 150 mm, Measurements of Hot & Cold water flex hose connection are M10x1- 3/8"40 cm, Ideal working pressure is 3-4 bar

S603




Special perlator with water saving, Special cartridge with heat and flow rate adjustment, With swivel spout, Removable hand shower head with 2 functions (Rain, Straight flow), Length of outlet is 225 mm - 125 cm helical hose (brass) - Height of outlet is 140 mm, Measurements of Hot & Cold water flex hose connection are M10x1- 3/8"40 cm, Ideal working pressure is 3-4 bar

S605



Special perlator with water saving (Bubble flow, with Lime breaker, Flow rate: 8 l/min), Special cartridge with heat and flow rate adjustment - With swivel spout, Length of outlet is 170 mm - Height of outlet 215 mm, Measurements of Hot & Cold water flex hose connection are M10x1- 3/8"40 cm, Ideal working pressure is 3-4 bar

S608



Special perlator with water saving (Bubble flow, with Lime breaker, Flow rate: 8 l/min), Special cartridge with heat and flow rate adjustment - With swivel spout, Length of outlet is 200 mm, Height of outlet 150 mm, Measurements of Hot & Cold water flex hose connection are M10x1- 3/8"40 cm, Ideal working pressure is 3-4 bar

S610



Special perlator with water saving (Bubble flow, with Lime breaker, Flow rate: 8 l/min), Special cartridge with heat and flow rate adjustment - With swivel spout, Length of outlet is 200 mm, Height of outlet 150 mm, Measurements of Hot & Cold water flex hose connection are M10x1- 3/8"40 cm, Ideal working pressure is 3-4 bar

Kitchen Taps

kromeyu®

Granite Kitchen Taps

S630



Sahra color kitchen mixer. Special perlator with water saving.
35 Ø cartige.

S632



Sahra color kitchen mixer. Removable hand shower head with 2 functions (rain, straight flow). Special perlator with water saving.
40 Ø cartige.

S635



Nero color kitchen mixer. Special perlator with water saving.
35 Ø cartige

S634



Beige color kitchen mixer. Removable hand shower head with 2 functions (rain, straight flow). Special perlator with water saving.
40 Ø cartige.

S631



Nero color kitchen mixer. Special perlator with water saving.
35 Ø cartige

S633



Nero color kitchen mixer. Removable hand shower head with 2 functions (rain, straight flow). Special perlator with water saving.
40 Ø cartige.

Siphons

kromevyle®

S705  Ø 50 mm valve waste siphon without overflow	S700K  Ø 50 mm valve waste siphon with overflow from bowl	S700D  Ø 50 mm valve waste siphon with overflow from drainer	S707  Ø 50 mm Double valve waste siphon without overflow
S701D  Ø 90 mm Valve waste siphon with overflow from drainer	S701K  Ø 90 mm Valve siphon with overflow from bowl	S731K  Ø 50 mm valve waste double siphon with/without o/f	S730K  Ø 90 mm Double valve waste siphon with/ without overflow
S730D  Ø 90 mm Double valve waste siphon with overflow from drainer	S740K  Ø 90mm single waste siphon with overflow composite sinks siphon	S741K  Ø90mm double waste siphon with overflow composite sinks siphon	S719K  Ø 90 mm Triple valve waste siphon with overflow from bowl
S702K-D  Ø 90 mm Pop up waste valve big head siphon with/o/f	S704K-D  Ø 90 mm Double pop up waste valve big head siphon with/o/f	S742K  Ø 90mm double waste siphon with overflow composite sinks siphon	S743K  Ø 50mm small head siphon with chain overflow from bowl
S744D  Ø 50mm small head siphon with overflow from drainer	S717  Ø 50mm Lavatory flower siphon	S816  Strainer for Ø 90mm Wafe siphons	

Others

S808  Faucet hole stopper Ø45 mm	S809  Soap dispenser	S814  Inset fixing clips	S810  Undermount fixing clips	S812S  Ø 32 mm Outlet pipe 50 cm	S500  Multi surface polishing paste	S499  Surface cleaning liquid
---	--	--	---	---	---	---